CRYOGENICS

Index to volume 19

January to December 1979

PAGE KEY

January	1– 64
February	65–128
March	129–176
April	177–240
May	241–304
June	305–368
July	369–432
August	433–496
September	497–560
October	561–624
November	625–688
December	689–744

Author Index

Abreu, O., Kellner, K.

Heat-transfer coefficients within the cavity formed by the tip of cryosurgical probes 567

Al-Huseini, F.

Surface effect on the critical current density of superconducting niobium 52

Al-Huseini, F.A., Lynch, R.F., Parry-Jones, G.

Closed-cycle cooling system at the UPM Cryogenic Facility, Saudi Arabia 106

Alterovitz, S.A., Woolam, J.A.

Comparison of projected critical currents in PbMo$_6$S$_8$ and Nb$_3$Ge 167

Ametistov, Ye.V., Labuntzov, D.A.

Analysis of helium II film boiling 401

Anashkin, O.P., Keilin, V.E., Krivikh, A.V.

Observation of serrated deformation of superconducting magnet windings 31

Anashkin, O.P., Keilin, V.E., Lyikov, V.V.

Stability of compound superconductors under localized heat pulses 77

Anashkin, O.P., Keilin, V.E., Surin, M.I., Shleifman, V. Kh.

The development and investigation of superconducting magnet systems for physical experiments 405

Ando, T., Shimamoto, S., Nishi, M., Yoshida, K.

An 8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor 491

Appleton, A.D.

Worldwide cryogenics – United Kingdom, Superconductivity at IRD 371

Armstrong, B., de Reuck, K.M.

A method for correlation using a search procedure based on a step-wise least-squares technique and its application to an equation of state for propylene 505

Atherton, D.L.

Shunt protection for superconducting Maglev magnets 537

Avksentyuk, B.P., Kutateladze, S.S.

On heat transfer crises in liquid helium 285

Barbero, C., Pavese, F.

The triple point of pure normal deuterium 255

Bartlit, J.R., Sherman, R.H., Stutz, R.A., Denton, W.H.

Hydrogen isotope distillation for fusion power reactors 275

Bendik, N.T., Smirnov, S.K., Blinkov, Ye.L.

Calculation of stationary heat transfer zone in conduits under cooldown 477

Bens, H., Horvath, I., Kwasnitza, K., Maix, R.K., Meyer, G.

Worldwide cryogenics – Switzerland Cryogenics at Brown Boveri 435

Berton, A., Chaussy, J., Cornut, B., Odin, J., Paureau, J., Peyrad, J.

Description of pressure cells suitable for low temperature specific heat and magnetization measurements 543

Best, K.J., Rothe, B.

Multiple purpose 7TNbTi split coil superconducting magnet system for Mossbauer spectroscopy and susceptibility measurements at various temperatures 73

Bhatti, M.H., McClintock, P.V.E.

Optimal positioning of field emitters for ion injection in liquid helium 535

Blair, D.G., Ferreirinho, J.

Application of flux trapping in hard superconductors to magnetic shielding and magnetic levitation 702

Blinkov, Ye.L., Bendik, N.T., Smirnov, S.K.

Calculation of stationary heat transfer zone in conduits under cooldown 477

Blundell, D.J., Ricketson, B.W.

Temperature of liquid nitrogen in cryostat dewars, the . . 33

Bodegom, E., Goldschvartz, J.M., van de Merwe, W.P., Dam, J.

Superflow into a solid superleak 679

Boiko, T.P., Solyanko, V.F., Kudrgavtseva, K.A.

A cryogenic flange connection 113

Bolshutkin, D.N., Desnenko, V.A., Ilichev, V.Ya.

Low temperature plastic deformation of Fe–Cr–Ni steels in magnetic fields to 2.71 x 10^3 Am^{-1} 231

Bolshutkin, D.N., Pecherskaya, V.I., Ilichev, V.Ya.

Peculiarities of the electrical resistivity and structural-magnetic transformations in Fe–18r– (10–25) Ni steels at low temperatures 261

Bon Mardion, G., Challier, J., Prost. R., Senet, L.

A magnetic safety valve 425

Bon Mardion, G., Claudet, G.

A counterflow gas-liquid helium heat exchanger with copper grid 552

Bon Mardion, G., Claudet, G., Seyfert, P.

Practical data on steady state heat transport in superfluid helium at atmospheric pressure 45

Bon Mardion, G., Senet, L.

An emergency cold valve operating in He II 552

Borner, H., Schmidt, D.W., Wagner, W.J.

Fast response superconducting thin-film probe for detection of second-sound shock waves in superfluid helium, a . . 89

Boxus, J., Issi, J.P.

Phonon-drag low temperature thermoelectric refrigeration 517

Brechna, H., Hwang, C.Y.

Hysteretic effects in pulsed superconducting magnets . 217

Bradshaw, T.W., Pratt, W.P. Jr.

Rf–biased SQUID with half-wavelength transmission line 553

Brodie, L.C., Sinha, D.N., Semura, J.S., Young, F.M.

Premature transition to stable film boiling initiated by power transients in liquid nitrogen 225

Brunet, Y., Mazuer, J., Renard, M.

High field critical current densities and resistive transition of NbCN superconducting films 107

Buhler, S.

Better LHe withdrawal from a liquefier 149

Calderwood, J.H., Mitsui, H., Toriyama, Y.

The observation of dielectric breakdown in liquid nitrogen using discharge figures 421

Campbell, S.J., Herbert, I.R.

Continuous flow cooling units and helium cryostats – a comparison 611

Campbell, S.J., Herbert, I.R., Timms, K.

An efficient continuous flow unit for Mossbauer experiments – source and absorber cooling 4.2 – 300 K . . . 615

Caspi, S., Frederking, T.H.K.

Triple-phase phenomena during quenches of superconductors cooled by pressurized superfluid helium II 513

Challier, J., Bon Mardion, G., Prost, R., Senet, L.

A magnetic safety valve 425

Chandrasekaran, S., Hariharan, Y., Radhakrishnan, T.S., Subramanian, V.
Simple dipstick cryostat with versatile temperature controller for high thermal stability ... 669

Chaudhuri, K.D., Verma, B.M.
Dislocation damping and the ultrasonic attenuation in tin ... 293

Chaussy, J., Berton, A., Cornut, B., Odin, J., Paureau, J., Peyrad, J.
Description of pressure cells suitable for low temperature specific heat and magnetization measurements ... 543

Chopra, V., Dharmadurai, G., Satya Murthy, N.S.
Detachable leads for superconducting magnets ... 235

Ciejek, B., Szczepaniec-Cieciak, E.
Estimation of the solubility of solidified substances in liquid oxygen by the Preston-Prausnitz method ... 639

Clark, A.F., Read, D.T., Ekin, J.W., Powell, R.L.
Definitions of terms for practical superconductors 3. fabrication, stabilization and transient losses ... 327

Claudet, G., Bon Mardion, G.
A counterflow gas-liquid helium heat exchanger with copper grid ... 552

Claudet, G., Bon Mardion, G., Seyfert, P.
Practical data on steady state heat transport in superfluid helium at atmospheric pressure ... 45

Collings, E.W.
Magnetic evaluation of machining induced deformation transformation in austentic stainless steels ... 215

Collings, E.W., Hart, S.C.
Low temperature magnetic susceptibility and magnetization studies of some commercial austenitic stainless steels ... 521

Coops, G.M., de Waele, A.Th. A.M., Gijsman, H.M.
The multiple mixing chamber ... 659

Cornut, B., Berton, A., Chaussy, J., Odin, J., Paureau, J., Peyrad, J.
Description of pressure cells suitable for low temperature specific heat and magnetization measurements ... 543

Corsan, J.M., Mitchem, N.I.
Specific heat of fifteen stainless steels in the temperature range 4K–30K, the ... 11

Cruz Uribe, A., Trefny, J.U., Fox, J.N.
Temperature and field dependence of superconducting thermometer sensitivity ... 316

Dabrowska, B., Wojtaszek, Z., Skwarczynska, M.
The solubility of solidified dichloromethane in liquid nitrogen at 77.4K ... 399

Dam, J., Goldschvartz, J.M., van de Merwe, W.P., Bodegom, E.
Superflow into a solid superleak ... 679

Denton, W.H., Bartlit, J.R., Sherman, R.H., Stutz, R.A.
Hydrogen isotope distillation for fusion power reactors ... 275

de Reuck, K.M., Armstrong, B.
A method for correlation using a search procedure based on a step-wise least-squares technique and its application to an equation of state for propylene ... 505

Desnenko, V.A., Bolshutkin, D.N., Ilichev, V.Ya.
Low temperature plastic deformation of Fe–Cr–Ni steels in magnetic fields to 2.71 x 10^3 Am^{-1} ... 231

de Souza, E.P., Rapp, R.E., Lerner, E.
Low temperature specific heat of exfoliated graphite. ... 121

Deutsch, M.
Thermal conductance in screw-fastened joints at helium temperatures ... 273

de Waele, A.Th.A.M., Coops, G.M., Gijsman, H.M.
The multiple mixing chamber ... 659

Dharmadurai, G., Chopra, V., Satya Murthy, N.S.
Detachable leads for superconducting magnets ... 235

Doyle, P.A., Green, M.A., Pines, H.S.
Computer design and optimization of cryogenic refrigeration systems ... 81

Dresner, L.
Heating-induced flows in cable-in-conduit conductors . 653

Dresner, L.
Transient heat transfer to liquid helium from bare copper surfaces ... 120

Dubasov, B.G., Mymrikov, V.V., Sereda, G.E., Trokhachev, G.V.
Measurement of the energy loss in superconducting magnets ... 114

Ehnholm, G.J., Ekstrom, J.P., Loponen, M.T., Soini, J.K.
Transversal SQUID NMR ... 673

Einsenstein, J.P., Swift, G.W., Packard, R.E.
A microprocessor controller for a nuclear demagnetization refrigerator ... 666

Ekin, J.W., Read, D.T., Powell, R.L., Clark, A.F.
Definitions of terms for practical superconductors 3. fabrication, stabilization and transient losses ... 327

Ekstrom, J.P., Ehnholm, G.J., Loponen, M.T., Soini, J.K.
Transversal SQUID NMR ... 673

Elliott, F.I., Oncken, J.F.
Cryogenics in the cattle industry ... 179

Ezaki, T., Irie, F., Klipping, G., Luders, K., Matsushita, T., Ruppert, U., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires ... 731

Fagaly, R.L., Weinstock, H., Schmidt, F.A.
The effect of surface preparation on superconducting heat switches ... 58

Ferreirinho, J., Blair, D.G.
Application of flux trapping in hard superconductors to magnetic shielding and magnetic levitation ... 702

Fickett, F.R.
Space applications of superconductivity: high field magnets ... 691

Fox, J.N., Trefny, J.U., Cruz-Uribe, A.
Temperature and field dependence of superconducting thermometer sensitivity ... 316

Francavilla, T.L., Howe, D.G.
Critical current properties of V_3Ga with third element additions ... 41

Fraser, J.
Cryogenic techniques in surgery ... 375

Frederking, T.H.K., Caspi, S.
Triple-phase phenomena during quenches of superconductors cooled by pressurized superfluid helium II ... 513

Furtado, C.S.
A case of pinning strength depending on the cooling of the sample ... 424

Gardner, J.B.
Worldwide cyogenics – United Kingdom, Cryogenics in BOC ... 131

Gawthrop, J.P.J., Scurlock, R.G.
An analysis of the flow in rotating cryogenic vapour columns with a uniform axial temperature gradient 346
Gerhold, J.
Dielectric breakdown of cryogenic gases and liquids . . 571
Getmanets, V.F., Verkin, B.I., Mikhalchenko, R.S.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 2 Theory of cryogenic liquid crystallization based on metallic conductivity of a porous network 23
Getmanets, V.F., Verkin, B.I., Mikhalchenko, R.S.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 1 Theoretical fundamentals for metallic conductivity of porous solid cryogens 17
Gijsman, H.M., Coops, G.M., de Waele, A.Th.A.M.
The multiple mixing chamber 659
Gilchrist, J. le G.
Low temperature dielectric loss due to antioxidants in polyethylene 281
Goldschvartz, J.M., van de Merwe, W.P., Bodegom, E., Dam, J.
Superflow into a solid superleak 679
Goldsmid, H.J., Gray, A.S.
Thermoelectric refrigeration at very low temperatures . 289
Gray, A.S., Goldsmid, H.J.
Thermoelectric refrigeration at very low temperatures . 289
Green, M.A., Pines, H.S., Doyle, P.A.
Computer design and optimization of cryogenic refrigeration systems 81
Groger, V.
Precision table for surface scattering in foils 56

Hariharan, Y., Chandrasekaran, S., Radhakrishnan, T.S., Subramanian, V.
Simple dipstick cryostat with versatile temperature controller for high thermal stability 669
Hart, S.C., Collings, E.W.
Low temperature magnetic susceptibility and magnetization studies of some commercial austenitic stainless steels . . 521
Herbert, I.R., Campbell, S.J.
Continuous flow cooling units and helium cryostats – a comparison 611
Herbert, I.R., Timms, K., Campbell, S.J.
An efficient continuous flow unit for Mossbauer experiments – source and absorber cooling 4.2 – 300 K . . . 615
Hilal, M.A.
Optimization of helium refrigerators and liquefiers for large superconducting systems 415
Hoenig, H.E.
Practical cryostats for laboratory courses in superconductivity 37
Horvath, I., Kwasnitza, K., Maix, R.K., Meyer, G., Bens, H.
Worldwide cryogenics – Switzerland Cryogenics at Brown Boveri 435
Howe, D.G., Francavilla, T.L.
Critical current properties of V_3Ga with third element additions 41
Hudson, P.A., Jones, H.
A portable self-contained refrigerants transfer system for use with superconductive magnet dewars 397
Huebener, R.P., Stohr, P.L.
Liquid helium stage in a scanning electron microscope . 472
Hwang, C.Y., Brechna, H.
Hysteretic effects in pulsed superconducting magnets . 217

Ilichev, V.Ya., Bolshutkin, D.N., Desnenko, V.A.
Low temperature plastic deformation of Fe–Cr–Ni steels in magnetic fields to 2.71×10^3 Am^{-1} 231
Ilichev, V.Ya., Pecherskaya, V.I., Bolshutkin, D.N.
Peculiarities of the electrical resistivity and structural-magnetic transformations in Fe–18r–(10–25) Ni steels at low temperatures 261
Ilichev, V.Ya., Klimanko, I.N., Romanov, V.P.
Peculiarities of the relaxation properties of the Fe–Cr–Ni alloy spin system at low temperatures 209
Irie, F., Ezaki, T., Klipping, G., Luders, K., Matsushita, T., Ruppert, U., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires 731
Ishibashi, K., Kobayashi, M., Katase, A.
Thermal stability of SC high current density magnets . 633
Ishibashi, K., Wake, M., Kobayashi, M., Katase, A.
Boundary resistance in SC composite wires and cryogenic stability 161
Ishibashi, K., Wake, M., Kobayashi, M., Katase, A.
Propagation velocity of normal zones in a SC braid . . . 467
Ishimaru, H.
Cryogenic performance of coaxial, multi-pin and coaxial multi-pin complex bakable feedthroughs 474
Ishimasa, Y.
Worldwide cryogenics – Japan The Tokyo Gas Company 67
Islam, M.S., Richards, D.J. Scurlock, R.G.
Influences of thermal stratification and flow interaction on the enhanced natural convective heat transfer at low temperatures, the 319
Issi, J.P., Boxus, J.
Phonon-drag low temperature thermoelectric refrigeration 517
Iwasa, Y.
A critical current-margin design criterion for high-performance magnet stability 705

Jewell, C., McClintock, P.V.E.
A note on the purity of liquid helium – 4 682
Jones, H., Hudson, P.A.
A portable self-contained refrigerants transfer system for use with superconductive magnet dewars 397

Kabat, D., Luedemann, R., Mencke, H., Shishov, Yu.A.
Protection device for superconducting magnets with a superconducting switch 382
Kabat, D., Tsenak, L.
Optimization of superconducting Helmholtz coils taking into account the dependence of critical current on magnetic induction, the 151
Kanbara, K., Ogasawara, T., Takahashi, Y., Kubota, Y., Yasohama, K., Yasukochi, K.
Alternating field losses in superconducting wires carrying dc transport currents Part 1: single core conductors . . 736
Katase, A., Ishibashi, K., Wake, M., Kobayashi, M.
Boundary resistance in SC composite wires and cryogenic stability 161
Katase, A., Ishibashi, K., Wake, M., Kobayashi, M.
Propagation velocity of normal zones in a SC braid . . . 467
Katase, A., Kobayashi, M., Ishibashi, K.
Thermal stability of SC high current density magnets . 633

Keilin, V.E., Anashkin, O.P., Krivikh, A.V.
Observation of serrated deformation of superconducting magnet windings 31
Keilin, V.E., Anashkin, O.P., Lyikov, V.V.
Stability of compound superconductors under localized heat pulses 77
Keilin, V.E., Anashkin, O.P., Surin, M.I., Shleifman, V.Kh.
The development and investigation of superconducting magnet systems for physical experiments 405
Keilin, V.E., Kruglov, S.L., Lelekhov, S.A.
Investigation of size effect in superconducting current carrying elements, the 27
Kellner, K., Abreu, O.
Heat-transfer coefficients within the cavity formed by the tip of cryosurgical probes 567
Kirichenko, Yu. A., Verkin, B.I., Levchenko, N.M., Rusanov, K.V.
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields 49
Kislov, A.M., Zhitomirskij, I.S., Romanenko, V.G.
Theoretical model of the heat transfer processes in a multilayer insulation, a 265
Klimanko, I.N., Romanov, V.P., Ilichev, V.Ya.
Peculiarities of the relaxation properties of the Fe–Cr–Ni alloy spin system at low temperatures 209
Klipping, G., Ezaki, T., Irie, F., Luders, K., Matsushita, T., Ruppert, U., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires 731
Kobayashi, M., Ishibashi, K., Katase, A.
Thermal stability of SC high current density magnets . 633
Kobayashi, M., Ishibashi, K., Wake, M., Katase, A.
Boundary resistance in SC composite wires and cryogenic stability 161
Kobayashi, M., Ishibashi, K., Wake, M., Katase, A.
Propagation velocity of normal zones in a SC braid . . . 467
Kobayashi, H., Yasukochi, K.
Recovery heat flux from silent and noisy film boiling states in saturated liquid He II 93
Kondaurov, V.A., Szczepaniec-Cieciak, E., Melikova, S.M.
The solubility of light olefins in liquid nitrogen 649
Kos, J.F., Leung, Y.K.
A simplified accurate interpolation method for germanium resistance thermometry 531
Kos'kin, Y., Sobashinikov, A.D.
Investigation of superconducting magnetic systems using experiment planning 141
Krivikh, A.V., Anashkin, O.P., Keilin, V.E.
Observation of serrated deformation of superconducting magnet windings 31
Kruglov, S.L., Keilin, V.E., Lelekhov, S.A.
Investigation of size effect in superconducting current carrying elements, the 27
Kubasta, E., Tschegg, E., Steiner, W.
A top loading 200 kN tensile testing cryostat 269
Kubota, Y., Ogasawara, T., Takahashi, Y., Kanbara, K., Yasohama, K., Yasukochi, K.
Alternating field losses in superconducting wires carrying dc transport currents Part 1: single core conductors 736
Kudrgavtseva, K.A., Solyanko, V.F., Boiko, T.P.
A cryogenic flange connection 113
Kuraoka, Y., Saito, K., Nogi, T., Misawa, T.
Heat analysis and reduction of evaporation rate of liquid helium dewar 182
Kutateladze, S.S., Avksentyuk, B.P.
On heat transfer crises in liquid helium 285
Kwasnitza, K., Maix, R.K., Meyer, G., Bens, H., Horvath, I.
Worldwide cryogenics – Switzerland Cryogenics at Brown Boveri 435
Kyte, W.S., Ward, D.A., Maddock, B.J.
Electromagnetic field and ac power loss enhancements at the edges of adjacent strips in a superconducting cable . 339

Labuntzov, D.A., Ametistov, Ye.V.
Analysis of helium II film boiling 401
Lawless, W.N., Radebaugh, R., Siegwarth, J.D., Morrow, A.J.
Feasibility of elyctrocaloric refrigeration for the 4–15 K temperature range 187
Lawless, W.N.
New ceramic materials for thermal and dielectric isolation at low temperatures 585
Lazarev, B.G., Makarov, V.I., San'kov, A.A.
Cryogenically pumped laboratory metallurgical installation 499
Lelekhov, S.A., Keilin, V.E., Kruglov, S.L.
Investigation of size effect in superconducting current carrying elements, the 27
Lerner, E., Rapp, R.E., de Souza, E.P.
Low temperature specific heat of exfoliated graphite . . 121
Leung, Y.K., Kos, J.F.
A simplified accurate interpolation method for germanium resistance thermometry 531
Levchenko, N.M., Verkin, B.I., Kirichenko, Yu, A., Rusanov, K.V.
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields 49
Listerman, T.W., Ross, C.B.
A simple method for calculating Debye heat capacity values using the Einstein heat capacity formula 547
Lobo, L.Q., Staveley, L.A.K.
The vapour pressure of tetrafluoromethane 335
Loponen, M.T., Ehnholm, G.J., Ekstrom, J.P., Soini, J.K.
Transversal SQUID NMR 673
Luders, K., Ezaki, T., Irie, F., Klipping, G., Matsushita, T., Ruppert, U., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires 731
Luedemann, R., Kabat, D., Mencke, H., Shishov, Yu.A.
Protection device for superconducting magnets with a superconducting switch 382
Lutset, M.O., Starovoitov, V.A.
Application of magnetofluid seals for high-speed rotating cryostats 333
Lutset, M.O., Lvovsky, Y.M.
Behaviour of normal zones in a uniform ac superconductor 483
Lvovsky, Y.M., Lutset, M.O.
Behaviour of normal zones in a uniform ac superconductor 483
Lyikov, V.V., Anashkin, O.P., Keilin, V.E.
Stability of compound superconductors under localized heat pulses 77
Lynch, R.F., Al-Huseini, F.A., Parry-Jones, G.
Closed-cycle cooling system at the UPM Cryogenic Facility, Saudi Arabia 106
Lysenko, E.N.
A study of the influence of constructional features of superconducting solenoids on their magnetic parameters 103

McClintock, P.V.E., Bhatti, M.H.
Optimal positioning of field emitters for ion injection in liquid helium 535
McClintock, P.V.E., Jewell, C.
A note on the purity of liquid helium – 4 682
Maddock, B.J., Ward, D.A., Kyte, W.S.
Electromagnetic field and ac power loss enhancements at the edges of adjacent strips in a superconducting cable . 339
Maix, R.K., Meyer, G., Bens, H., Horvath, I., Kwasnitza, K.
Worldwide cryogenics – Switzerland Cryogenics at Brown Boveri 435
Makarov, V.I., Lazarev, B.G., San'kov, A.A.
Cryogenically pumped laboratory metallurgical installation 499
Makhan'kov, V.I., Shemonaev, G.P., Sidorenko, I.S.
A floating level indicator for liquid helium 140
Marechal, J.
Oscillation damper for transfer lines 617
Matsushita, T., Ezaki, T., Irie, F., Klipping, G., Luders, K., Ruppert, U., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires 731
Mazuer, J., Brunet, Y., Renard, M.
High field critical current densities and resistive transition of NbCN superconducting films 107
Melikova, S.M., Szczepaniec-Cieciak, E., Kondaurov, V.A.
The solubility of light olefins in liquid nitrogen 649
Mencke, H., Kabat, D., Luedemann, R., Shishov, Yu.A.
Protection device for superconducting magnets with a superconducting switch 382
Meyer, G., Bens, H., Horvath, I., Kwasnitza, K., Maix, R.K.
Worldwide cryogenics – Switzerland Cryogenics at Brown Boveri 435
Mikhalchenko, R.S., Verkin, B.I., Getmanets, V.F.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 1 theoretical fundamentals for metallic conductivity of porous solid cryogens . . . 17
Mikhalchenko, R.S., Verkin, B.I., Getmanets, V.F.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 2 Theory of cryogenic liquid crystallization based on metallic conductivity of a porous network 23
Miloshenko, V.E., Postknikov, V.S., Safonov, N.A., Zolotukhin, I.V.
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K 116
Misawa, T., Kuraoka, Y., Saito, K., Nogi, T.
Heat analysis and reduction of evaporation rate of liquid helium dewar 182
Mitchem, N.I., Corsan, J.M.
Specific heat of fifteen stainless steels in the temperature range 4K–30K, the 11
Mitsui, H., Toriyama, Y., Calderwood, J.H.
The observation of dielectric breakdown in liquid nitrogen using discharge figures 421
Morpurgo, M.
A large superconducting dipole cooled by forced circulation of two-phase helium 411
Morrow, A.J., Radebaugh, R., Lawless, W.N., Siegwarth, J.D.
Feasibility of electrocaloric refrigeration for the 4–15 K temperature range 187
Mymrikov, V.V., Dubasov, B.G., Sereda, G.E., Trokhachev, G.V.
Measurement of the energy loss in superconducting magnets 114
Narahara, Y., Yazaki, T., Tominaga, A.
Stability limit for thermally driven acoustic oscillation. 393
Nishi, M., Shimamoto, S., Ando, T., Yoshida, K.
An 8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor 491
Nogi, T., Kuraoka, Y., Saito, K., Misawa, T.
Heat analysis and reduction of evaporation rate of liquid helium dewar 182

Odin, J., Berton, A., Chaussy, J., Cornut, B., Paureau, J., Peyrad, J.
Description of pressure cells suitable for low temperature specific heat and magnetization measurements 543
Ogasawara, T., Takahashi, Y., Kanbara, K., Kubota, Y., Yashohama, K., Yasukochi, K.
Alternating field losses in superconducting wires carrying dc transport currents Part 1: single core conductors . . 736
Oncken, J.F., Elliott, F.I.
Cryogenics in the cattle industry 179

Packard, R.E., Eisenstein, J.P., Swift, G.W.
A microprocessor controller for a nuclear demagnetization refrigerator 666
Packard, R.E., Swift, G.W.
Thermal contraction of Vespel SP–22 and Stycast 1266 from 300 K to 4 K 362
Parry-Jones, G., Al-Huseini, F.A., Lynch, R.F.
Closed-cycle cooling system at the UPM Cryogenic Facility, Saudi Arabia 106
Pasternak, M., Shamai, S.
Glass liquid helium cryostat for Mossbauer spectroscopy, a 40
Pasztor, G., Schmidt, C.
Acoustic emission from NbTi superconductors during flux jump 608
Pattullo, A.W., van der Sluijs, J.C.A.
Model calculations on heat flow in inhomogeneous thermal systems 1– Thermal conductivity and boundary resistance at low temperatures 453
Pattullo, A.W., Rawlings, K.C., van der Sluijs, J.C.A.
Model calculations on heat flow in inhomogeneous thermal systems 2 – Sintered copper heat exchanger and Kapitza conductance 461
Paureau, J., Berton, A., Chaussy, J., Cornut, B., Odin, J., Peyrad, J.
Description of pressure cells suitable for low temperature specific heat and magnetization measurements 543
Pavese, F., Barbero, C.
The triple point of pure normal deuterium. 255
Pecherskaya, V.I, Bolshutkin, D.N., Ilichev, V.Ya.
Peculiarities of the electrical resistivity and structural-magnetic transformation in Fe- 18r- (10-25) Ni steels at low temperatures. 261
Peyrad, J., Berton, A., Chaussy, J., Cornut, B., Odin, J., Paureau, J.
Description of pressure cells suitable for low temperature specific heat and magnetization measurements. 543
Pines, H.S., Green, M.A., Doyle, P.A.
Computer design and optimization of cryogenic refrigeration systems 81
Polturak, E., Rosenbaum, R., Soulen, R.J. Jr.
Anomalous cooling power of dilution refrigerators and the heat of transport of He^3 – He^4 solutions 715

Postnikov, V.S., Safonov, N.A., Zolotukhin, I.V., Miloshenko, V.E.
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K 116

Powell, R.L., Read, D.T., Ekin, J.W., Clark, A.F.
Definitions of terms for practical superconductors 3. fabrication, stabilization and transient losses 327

Pratt, W.P. Jr., bradshaw, T.W.
Rf–biased SQUID with half-wavelength transmission line 553

Prost, R., Bon Mardion, G., Challier, J., Senet, L.
A magnetic safety valve 425

Radebaugh, R., Lawless, W.N., Siegwarth, J.D., Morrow, A.J.
Feasibility of electrocaloric refrigeration for the 4–15 K temperature range 187

Radhakrishnan, T.S., Chandrasekaran, S., Hariharan, Y., Subramanian, V.
Simple dipstick cryostat with versatile temperature controller for high thermal stability 669

Rapp, R.E., de Souza, E.P., Lerner, E.
Low temperature specific heat of exfoliated graphite . . 121

Rawlings, K.C., Pattullo, A.W., van der Sluijs, J.C.A.
Model calculations on heat flow in inhomogeneous thermal systems 2 – Sintered copper heat exchanger and Kapitza conductance 461

Read, D.T., Ekin, J.W., Powell, R.L., Clark, A.F.
Definitions of terms for practical superconductors 3. fabrication, stabilization and transient losses 327

Reichel, W.
A new flowmeter for the dynamic flow rate measurement 55

Reichel, W.
A new transducer for measuring the liquid level 618

Renard, M., Brunet, Y., Mazuer, J.
High field critical current densities and resistive transition of NbCN superconducting films 107

Richards, D.J., Islam, M.S., Scurlock, R.G.
The influences of thermal stratification and flow interaction on the enhanced natural convective heat transfer at low temperatures 319

Ricketson, B.W., Blundell, D.J.
Temperature of liquid nitrogen in cryostat dewars, the . 33

Rizzuto, C.
Cryogenics worldwide – Italy Research at low temperatures in Italy present status and perspectives 243

Romanenko, V.G., Zhitomirskij, I.S., Kislov, A.M.
Theoretical model of the heat transfer processes in a multilayer insulation, a 265

Romanov, V.P., Klimanko, I.N., Ilichev, V.Ya.
Peculiarities of the relaxation properties of the Fe–Cr–Ni alloy spin system at low temperatures 209

Romanyuk, A.S., Zenkevitch, V.B.
The effect of magnetic properties of a composite superconductor on the losses in variable magnetic field: Part 1 Theory 725

Rosenbaum, R., Polturak, E., Soulen, R.J. Jr.
Anomalous cooling power of dilution refrigerators and the heat of transport of $He^3 - He^4$ solutions 715

Rosner, C.H.
Cryogenics worldwide–USA. Superconductivity at Intermagnetics General 3

Ross, C.B., Listerman, T.W.
A simple method for calculating Debye heat capacity values using the Einstein heat capacity formula 547

Rothe, B., Best, K.J.
Multiple purpose 7TNbTi split coil superconducting magnet system for Mossbauer spectroscopy and susceptibility measurements at various temperatures 73

Ruppert, U., Ezaki, T., Irie, F., Klipping, G., Luders, K., Matsushita, T., Takeo, M.
System for coil simulation measurements of losses and instabilities in superconducting wires 731

Rusanov, K.V., Verkin, B.I., Kirichenko, Yu. A., Levchenko, N.M.
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields 49

Safonov, N.A., Postnikov, V.S., Zolotukhin, I.V., Miloshenko, V.E.
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K 116

Saito, K., Kuraoka, Y., Nogi, T., Misawa, T.
Heat analysis and reduction of evaporation rate of liquid helium dewar 182

San'kov, A.A., Lazarev, B.G., Makarov, V.I.
Cryogenically pumped laboratory metallurgical installation 499

Satya Murthy, N.S., Chopra, V., Dharmadurai, G.
Detachable leads for superconducting magnets 235

Schmidt, C., Pasztor, G.
Acoustic emission from NbTi superconductors during flux jump 608

Schmidt, D.W., Borner, H., Wagner, W.J.
Fast response superconducting thin film probe for detection of second-sound shock waves in superfluid helium, a . . 89

Schmidt, F.A., Fagaly, R.L., Weinstock, H.
The effect of surface preparation on superconducting heat switches 58

Scurlock, R.G., Gawthrop, J.P.J.
An analysis of the flow in rotating cryogenic vapour columns with a uniform axial temperature gradient 346

Scurlock, R.G., Islam, M.S., Richards, D.J.
Influences of thermal stratification and flow interaction on the enhanced natural convective heat transfer at low temperatures, the 319

Semura, J.S., Sinha, D.N., Brodie, L.C., young, F.M.
Premature transition to stable film boiling initiated by power transients in liquid nitrogen 225

Senet, L., Bon Mardion, G.
An emergency cold valve operating in He II 552

Senet, L., Bon Mardion, G., Challier, J., Prost, R.
A magnetic safety valve 425

Sereda, G.E., Dubasov, B.G., Mymrikov, V.V., Trokhachev, G.V.
Measurement of the energy loss in superconducting magnets 114

Seyfert, P., Bon Mardion, G., Claudet, G.
Practical data on steady state heat transport in superfluid helium at atmospheric pressure 45

Shamai, S., Pasternak, M.
Glass liquid helium cryostat for Mossbauer spectroscopy, a 40

Shemonaev, G.P., Makhan'kov, V.I., Sidorenko, I.S.
A floating level indicator for liquid helium 140

Sherman, R.H., Bartlit, J.R., Stutz, R.A., Denton, W.H.
Hydrogen isotope distillation for fusion power reactors . . . 275
Shimamoto, S., Ando, T., Nishi, M., Yoshida, K.
An 8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor . . . 491
Shishov, Yu.A., Kabat, D., Luedemann, R., Mencke, H.
Protection device for superconducting magnets with a superconducting switch . . . 382
Shleifman, V.Kh., Anashkin, O.P., Keilin, V.E., Surin, M.I.
The development and investigation of superconducting magnet systems for physical experiments . . . 405
Sidorenko, I.S., Shemonaev, G.P., Makhan'kov, V.I.
A floating level indicator for liquid helium . . . 140
Siegwarth, J.D., Radebaugh, R., Lawless, W.N., Morrow, A.J.
Feasibility of electrocaloric refrigeration for the 4–15 K temperature range . . . 187
Sinha, D.N., Brodie, L.C., Semura, J.S., Young, F.M.
Premature transition to stable film boiling initiated by power transients in liquid nitrogen . . . 225
Skwarczynska, M., Wojtaszek, Z., Dabrowska, B.
The solubility of solidified dichloromethane in liquid nitrogen at 77.4K . . . 399
Smirnov, S.K., Bendik, N.T., Blinkov, Ye.L.
Calculation of stationary heat transfer zone in conduits under cooldown . . . 477
Sobashnikov, A.D., Kos'kin, Y.P.
Investigation of superconducting magnetic systems using experiment planning . . . 141
Soini, J.K., Ehnholm, G.J., Ekstrom, J.P., Loponen, M.T.
Transversal SQUID NMR . . . 673
Solyanko, V.F., Boiko, T.P., Kudrgavtseva, K.A.
Cryogenic flange connection, a. . . . 113
Soulen, R.J. Jr., Polturak, E., Rosenbaum, R.
Anomalous cooling power of dilution refrigerators and the heat of transport of $He^3 - He^4$ solutions . . . 715
Starovoitov, V.A., Lutset, M.O.
Application of magnetofluid seals for highspeed rotating cryostats . . . 333
Staveley, L.A.K., Lobo, L.Q.
Vapour pressure of tetrafluoromethane, the . . . 335
Steiner, W., Tschegg, E., Kubasta, E.
A top loading 200 kN tensile testing cryostat . . . 269
Stephens, J.R., Witzke, W.R.
Effects of thermomechanical processing on strength and toughness of Fe-12Ni–reactive metal alloys at 77K . . . 153
Stohr, P.L., Huebener, R.P.
Liquid helium stage in a scanning electron microscope . 472
Stutz, R.A., Bartlit, J.R., Sherman, R.H., Denton, W.H.
Hydrogen isotope distillation for fusion power reactors . . . 275
Subramanian, V., Chandrasekaran, S,, Hariharan, Y., Radhakrishnan, T.S.
Simple dipstick cryostat with versatile temperature controller for high thermal stability . . . 669
Sullivan, D.B., Vorreiter, J.W.
Space applications of superconductivity . . . 627
Surin, M.I., Anashkin, O.P., Keilin, V.E., Shleifman, V.Kh.
The development and investigation of superconducting magnet systems for physical experiments . . . 405
Swift, G.W., Eisenstein, J.P., Packard, R.E.
A microprocessor controller for a nuclear demagnetization refrigerator . . . 666
Swift, G.W., Packard, R.E.
Thermal contraction of Vespel SP–22 and Stycast 1266 from 300 K to 4 K . . . 362
Szczepaniec-Cieciak, E., Ciejek, B.
Estimation of the solubility of solidified substances in liquid oxygen by the Preston-Prausnitz method . . . 639
Szczepaniec-Cieciak, E., Kondaurov, V.A., Melikova, S.M.
The solubility of light olefins in liquid nitrogen . . . 649
Sullivan, D.B., Zimmerman, J.E.
A milliwatt stirling cryocooler for temperatures below 4 K . . . 170

Tachikawa, K.
Worldwide cryogenics – Japan. Research and development at the Japanese National Research Institute for Metals . 307
Takahashi, Y., Ogasawara, T., Kanbara, K., Kubota, Y., Yasohama, K., Yasukochi, K.
Alternating field losses in superconducting wires carrying dc transport currents Part 1: single core conductors . . . 736
Takeo, M., Ezaki, T., Irie, F., Klipping, G., Luders, K., Matsushita, T., Ruppert, U.
System for coil simulation measurements of losses and instabilities in superconducting wires . . . 731
Thirumaleshwar, M.
Energy method of analysis and its application to a helium cryo-refrigerator . . . 355
Timms, K., Herbert, I.R., Campbell, S.J.
An efficient continuous flow unit for Mossbauer experiments – source and absorber cooling 4.2 – 300 K . . . 615
Tominaga, A., Yazaki, T., Narahara, Y.
Stability limit for thermally driven acoustic oscillation 393
Toone, R.J.
Cryostat cold-finger support for shielded Ge gamma ray detectors . . . 280
Toriyama, Y., Mitsui, H., Calderwood, J.H.
The observation of dielectric breakdown in liquid nitrogen using discharge figures . . . 421
Trefny, J.U., Cruz-Uribe, A., Fox, J.N.
Temperature and field dependence of superconducting thermometer sensitivity . . . 316
Trokhachev, G.V., Dubasov, B.G., Mymrikov, V.V., Sereda, G.E.
Measurement of the energy loss in superconducting magnets . . . 114
Tschegg, E., Kubasta, E., Steiner, W.
A top loading 200 kN tensile testing cryostat . . . 269
Tsenak, L., Kabat, D.
The optimization of superconducting Helmholtz coils taking into account the dependence of critical current on magnetic induction . . . 151

Ulbricht, A.
A resistive superconducting power switch with a switching power of 40 MW at 47 kV . . . 591

van de Merwe, W.P., Goldschwartz, J.M., Bodegom, E., Dam, J.
Superflow into a solid superleak . . . 679
van der Sluijs, J.C.A., Pattullo, A.W.
Model calculations on heat flow in inhomogeneous thermal systems 1 – Thermal conductivity and boundary resistance at low temperatures . . . 453
van der Sluijs, J.C.A., Pattullo, A.W., Rawlings, K.C.
Model calculations on heat flow in inhomogeneous thermal systems 2 – Sintered copper heat exchanger and Kapitza conductance . . . 461

Vandervoort, R.R.
Mechanical properties of inconel 625 welds in 21–6–9 stainless steel at 4K . . . 448
Van Sciver, S.W.
Transient heat transport in He II . . . 385
Verkin, B.I., Getmanets, V.F., Mikhalchenko, R.S.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 1 Theoretical fundamentals for metallic conductivity of porous solid cryogens . . . 17
Verkin, B.I., Getmanets, V.F., Mikhalchenko, R.S.
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 2 Theory of cryogenic liquid crystallization based on metallic conductivity of a porous network . . . 23
Verkin, B.I., Kirichenko, Yu. A., Levchenko, N.M., Rusanov, K.V.
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields . . . 49
Verma, B.M., Chaudhuri, K.D.
Dislocation damping and the ultrasonic attenuation in tin . . . 293
Vorreiter, J.W., Sullivan, D.B.
Space applications of superconductivity . . . 627

Wagner, W.J., Borner, H., Schmidt, D.W.
Fast response superconducting thin-film probe for detection of second-sound shock waves in superfluid helium, a . . 89
Wake, M., Ishibashi, K., Kobayashi, M., Katase, A.
Boundary resistance in SC composite wires and cryogenic stability . . . 161
Wake, M., Ishibashi, K., Kobayashi, M. Katase, A.
Propagation velocity of normal zones in a SC braid . . . 467
Walker, G.
Generalized ideal reference cycle for regenerative refrigeration Part 1: isothermal systems . . . 603
Ward, D.A., Maddock, B.J., Kyte, W.S.
Electromagnetic field and ac power loss enhancements at the edges of adjacent strips in a superconducting cable . 339
Warren, R.P.
Experimental study of gas-cooled current leads for superconducting magnets . . . 563
Weinstock, H., Fagaly, R.L., Schmidt, F.A.
The effect of surface preparation on superconducting heat switches . . . 58
Witzke, W.R., Stephens, J.R.
Effects of thermomechanical processing on strength and toughness of Fe–12Ni–reactive metal alloys at 77K . . 153
Wojtaszek, Z., Dabrowska, B., Skwarczynska, M.
The solubility of solidified dichloromethane in liquid nitrogen at 77.4K . . . 399
Woolam, J.A., Alterovitz, S.A.
Comparison of projected critical currents in $PbMo_6S_8$ and Nb_3Ge . . . 167

Yamamoto, J.
Infra-red reflectance of anodized aluminium as a cryogenic material . . . 87
Yasohama, K., Ogasawara, T., Takahashi, Y., Kanbara, K., Kubota, Y., Yasukochi, K.
Alternating field losses in superconducting wires carrying dc trasnport currents Part 1: single core conductors . . . 736
Yasukochi, K., Kobayashi, H.
Recovery heat flux from silent and noisy film boiling states in saturated liquid He II . . . 93
Yasukochi, K., Ogasawara, T., Takahashi, Y., Kanbara, K., Kubota, Y., Yasohama, K.
Alternating field lisses in superconducting wires carrying dc transport currents Part 1: single core conductors . . . 736
Yazaki, T., Tominaga, A., Narahara, Y.
Stability limit for thermally driven acoustic oscillation . . . 393
Yoshida, K., Shimamoto, S., Ando, T., Nishi, M.
An 8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor . . . 491
Young, F.M., Sinha, D.N., Brodie, L.C., Semura, J.S.
Premature transition to stable film boiling initiated by power transients in liquid nitrogen . . . 225

Zenkevitch, V.B., Romanyuk, A.S.
The effect of magnetic properties of a composite superconductor on the losses in variable magnetic field: Part 1 Theory . . . 725
Zhitomirskij, I.S., Kislov, A.M., Romanenko, V.G.
A theoretical model of the heat transfer processes in a multilayer insulation . . . 265
Zimmerman, J.E., Sullivan, D.B.
A milliwatt Stirling cryocooler for temperatures below 4 K . . . 170
Zolotukhin, I.V., Postnikov, V.S., Safonov, N.A., Miloshenko, V.E.
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K . . . 116

Book Reviews

Advances in cryogenic engineering volume 23
Edited by K.D. Timmerhaus
Reviewed by R.G. Scurlock . . . 298
Advances in cryogenic engineering, volume 24
Edited by K. Timmerhaus, R.P. Reed, A.F. Clark
Reviewed by Peter Hudson . . . 427
Experimental techniques in low temperature physics
G.K. White
Reviewed by A.F. Clark . . . 683
High-pressure and low-temperature physics
Edited by C.W. Chu and J.A. Woolam
Reviewed by P. Hudson . . . 298
Materials for low temperature use
D.A. Wigley
Reviewed by J.B. Gardner . . . 683
Methane: International Thermodynamic Tables of Fluid State
I.U.P.A.C.
Reviewed by G.G. Haselden . . . 365
Non-metallic materials and composites at low temperatures
Edited by A.F. Clark, R.P. Reed, G. Hartwig
Reviewed by J. le G. Gilchrist . . . 426
The proceedings of the 15th International Conference on Thermal Conductivity 1977
Edited by V.V. Mirkovich
Reviewed by H.J. Goldsmid . . . 426

Proceedings of the sixth international conference on magnet technology (MT – 6)
Reviewed by J.H. Coupland 124

Conference Reports

The application of high magnetic fields in semiconductor physics (11–15 September 1978, Oxford, UK) 123
Superconducting electrical machines (19–20 April 1979, Oxford, UK) 550

Papers

Acoustic emission from NbTi superconductors during flux jump
G. Pasztor, C. Schmidt 608
Alternating field losses in superconducting wires carrying dc transport currnents. Part I: Single core conductors
T. Ogasawara, Y. Takahashi, K. Kanbara, Y. Kubota, K. Yasohama, K. Yasukochi 736
Analysis of helium ii film boiling
D.A. Labuntzov, Ye.V. Ametistov 401
Analysis of the flow in rotating cryogenic vapour columns with a uniform axial temperature gradient, an
J.P.J. Gawthrop, R.G. Scurlock 346
Anomalous cooling power of dilution refrigerators and the heat of transport of $He^3 - He^4$ solutions
E. Polturak, R. Rosenbaum, R.J. Soulen 715
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K
V.S. Postnikov, N.A. Safonov, I.V. Zolotukhin, V.E. Miloshenko 116
Application of flux trapping in hard superconductors to magnetic shielding and magnetic levitation
J. Ferreirinho, D.G. Blair 702
Application of magnetofluid seals for high-speed rotating cryostats
M.O. Lutset, V.A. Starovoitov 333
Behaviour of normal zones in a uniform ac superconductor
Y.M. Lvovsky, M.O. Lutset 483
Better LHe withdrawal from a liquefier
S. Buhler 149
Boundary resistance in SC composite wires and cryogenic stability
K. Ishibashi, M. Wake, M. Kobayashi, A. Katase 161
Calculation of stationary heat transfer zone in conduits under cooldown
N.T. Bendik, S.K. Smirnov, Ye. L. Blinkov 477
Closed-cycle cooling system at the UPM Cryogenic Facility, Saudi Arabia
F.A. Al-Huseini, R.F. Lynch, G. Parry-Jones 106
Comparison of projected critical currents in $PbMo_6S_8$ and Nb_3Ge
S.A. Alterovitz, J.A. Woolam 167
Computer design and optimization of cryogenic refrigeration systems
M.A. Green, H.S. Pines, P.A. Doyle 81
Critical-current-margin design criterion for high-pefor-mance magnet stability, a
Y. Iwasa 705
Critical current properties of V_3Ga with third element additions
T.L.Francavilla, D.G. Howe 41
Cryogenically pumped laboratory metallurgical installation
B.G. Lazarev, V.I. Makarov, A.A. San'kov 499
Cryogenic flange connection, a
V.F. Solyanko, T.P. Boiko, K.A. Kudrgavtseva 113
Cryogenic performance of coaxial, multi-pin and coaxial multi-pin complex bakable feedthroughs
H. Ishimaru 474
Cryostat cold-finger support for shielded Ge gamma ray detectors
R.J. Toone 280-
Definitions of terms for practical superconductors 3. fabric-ation, stabilization and transient losses
D.T. Read, J.W. Ekin, R.L. Powell, A.F. Clark 327
Description of pressure cells suitable for low temperature specific heat and magnetization measurements
A. Berton, J. Chaussy, B. Cornut, J. Odin, J. Paureau, J. Peyrad 543
Detachable leads for superconducting magnets
V. Chopra, G. Dharmadurai, N.S. Satya Murthy 235
Development and investigation of superconducting magnet systems for physical experiments, the
O.P. Anashkin, V.E. Keilin, M.I. Surin, V. Kh. Shleifman 405
Dielectric breakdown of cryogenic gases and liquids
J. Gerhold 571
Dislocation damping and the ultrasonic attenuation in tin
K.D. Chaudhuri, B.M. Verma 293
Effect of magnetic properties of composite superconductor on losses in variable magnetic field, Part I: Theory
V.B. Zenkevitch, A.S. Romanyuk 725
Effects of thermomechanical processing on strength and toughness of Fe–12Ni–reactive metal alloys at 77 K
J.R. Stephens, W.R. Witzke 153
Electromagnetic field and ac power loss enhancements at the edges of adjacent strips in a superconducting cable
D.A. Ward, B.J. Maddock, W.S. Kyte 339
Energy method of analysis and its application to a helium cryo-refrigerator
M. Thirumaleshwar 355
Estimation of the solubility of solidified substances in liquid oxygen by the Preston Prausnitz method
E. Szczepaniec-Cieciak, B. Ciejek 639
Experimental study of gas-cooled current leads for super-conducting magnets
R.P. Warren 563
A fast response superconducting thin-film probe for detec-tion of second-sound shock waves in superfluid helium
H. Borner, D.W. Schmidt, W.J. Wagner 89
Feasibility of electrocaloric refrigeration for the 4–15 K temperature range
R. Radebaugh, W.N. Lawless, J.D. Siegwarth, A.J. Morrow 187
Floating level indicator for liquid helium, a
G.P. Shemonaev, V.I. Makhan'kov, I.S. Sidorenko . . . 140
Frictional properties of metal-insulator surfaces at cryogenic temperatures
R.S. Kensley, Y. Iwasa.
Generalized ideal reference cycle for regenerative refrigera-tion Part 1: isothermal systems
G. Walker 603

Glass liquid helium cryostat for Mossbauer spectroscopy, a
M. Pasternak, S.Shamai 40
Heat analysis and reduction of evaporation rate of liquid helium dewar
Y. Kuraoka, K. Saito, T. Nogi, T. Misawa 182
Heating-induced flows in cable-in-conduit conductors
L. Dresner 653
Heat-transfer coefficients within the cavity formed by the tip of cryosurgical probes
O. Abreu, K. Kellner 567
High field critical current densities and resistive transition of NbCN superconducting films
Y. Brunet, J. Mazuer, M. Renard 107
Hydrogen isotope distillation for fusion power reactors
J.R. Bartlit, R.H. Sherman, R.A. Stutz, W.H. Denton . 275
Hysteretic effects in pulsed superconducting magnets
H. Brechna, C.Y. Hweng 217
Influences of thermal stratification and flow interation on the enhanced natural convective heat transfer at low temperatures, the
M.S. Islam, D.J. Richards, R.G. Scurlock 319
Infrared reflectance of anodized aluminium as a cryogenic material
J. Yamomoto 87
Investigation of size effect in superconducting current carrying elements, the
V.E. Keilin, S.L. Kruglov, S.A. Lelekhov 27
Investigation of superconducting magnetic systems using experiment planning
Y.P. Kos'kin, A.D. Sobashnikov 141
Large superconducting dipole cooled by forced circulation of two-phase helium, a
M. Morpurgo 411
Liquid helium stage in a scanning electron microscope
P.L. Stohr, R.P. Huebener 472
Low temperature dielectric loss due to anti-oxidants in polyethylene
J. le G. Gilchrist 281
Low temperature magnetic susceptibility and magnetization studies of some commercial austenitic stainless steels
E.W. Collings, S.C. Hart 521
Low temperature plastic deformation of Fe–Cr–Ni steels in magnetic fields to 2.71 x 10^3 Am^{-1}
D.N. Bolshutkin, V.A. Desnenko, V.Ya. Ilichev 231
Magnetic evaluation of machining induced deformation transformation in austentic stainless steels
E.W. Collings 215
Measurement of the energy loss in superconducting magnets
B.G. Dubasov, V.V. Mymrikov, G.E. Sereda, G.V. Trokhachev 114
Mechanical properties of inconel 625 welds in 21–6–9 stainless steel at 4 K
R.R. Vandervoort 448
A method for correlation using a search procedure based on a step-wise least-squares technique and its application to an equation of state forpropylene
K.M. de Reuck, B. Armstrong 505
A microprocessor controller for a nuclear demagnetization refrigerator
J.P. Einsenstein, G.W. Swift, R.E. Packard 666
Model calculations on heat flow in inhomogeneous thermal systems. 1 – Thermal conductivity and boundary resistance at low temperatures
A.W. Pattullo, J.C.A. van der Sluijs 453
Model calculations on heat flow in inhomogeneous thermal systems. 2 – Sintered copper heat exchanger and Kapitza conductance
A.W. Pattullo, K.C. Rawlings, J.C.A. van der Sluijs . . . 461
The multiple mixing chamber
G.M. Coops, A. Th. A.M. de Waele, H.M. Gijsman 659
Multiple purpose 7TNbTi split coil superconducting magnet system for Mossbauer spectroscopy and susceptbility measurements at various temperatures
K.J. Best, B. Rothe 73
New ceramic materials for thermal and dielectric isolation at low temperatures
W.N. Lawless 585
Observation of serrated deformation of superconducting magnet windings
O.P. Anashkin, V.E. Keilin, A.V. Krivikh 31
On heat transfer crises in liquid helium
S.S. Kutateladze, B.P. Avksentyuk 285
Optimal positioning of field emitters for ion injection in liquid helium
M.H. Bhatti, P.V.E. McClintock 535
Optimization of helium refrigerators and liquefiers for large superconducting systems
M.A. Hilal 415
Optimization of superconducting Helmholtz coils taking into account the dependence of critical current on magnetic induction, the
D. Kabat, L. Tsenak 151
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields
B.I. Verkin, Yu.A. Kirichenko, N.M. Levchenko, K.V. Rusanov 49
Peculiarities of the electrical resistivity and structual-magnetic transformations in Fe–18r–(10–25) Ni steels at low temperatures
V.I. Pecherskaya, D.N. Bolshutkin, V.Ya. Ilichev 261
Peculiarities of the relaxation properties of the Fe--Cr–Ni alloy spin system at low temperatures
I.N. Klimanko, V.P. Romanov, V.Ya. Ilichev 209
Phonon-drag low temperature thermoelectric refrigeration
J.P. Issi, J. Boxus 517
Portable self-contained refrigerants transfer system for use with superconductive magnet dewars, a
H. Jones, P.A. Hudson 397
Practical cryostats for laboratory courses in superconductivity
H.E. Hoenig 37
Practical data on steady state heat transport in superfluid helium at atmospheric pressure
G. Bon Mardion, G. Claudet, P. Seyfert 45
Premature transition to stable film boiling initiated by power transients in liquid nitrogen
D.N. Sinha, L.C. Brodie, J.S. Semura, F.M. Young . . . 225
Propagation velocity of normal zones in a SC braid
K. Ishibashi, M. Wake, M. Kobayashi, A. Katase 467
Protection device for superconducting magnets with a superconducting switch
D. Kabat, R. Luedemann, H. Mencke, You.A. Shishov . . 382
Recovery heat flux from silent and noisy film boiling states in saturated liquid He II
H. Kobayashi, K. Yasukochi 93
A resistive superconducting power switch with a switching power of 40 MW at 47 kV
A. Ulbricht 591

Shunt protection for superconducting Maglev magnets
D.L. Atherton 537

Simple dipstick cryostat with versatile temperature controller for high thermal stability
S. Chandrasekaran, Y. Hariharan, T.S. Radhakrishnan, V. Subramanian 669

A simple method for calculating Debye heat capacity values using the Einstein heat capacity formula
T.W. Listerman, C.B. Ross 547

A simplified accurate interpolation method for germanium resistance thermometry
Y.K. Leung, J.F. Los 531

The solubility of light olefins in liquid nitrogen
E. Szczepaniec-Cieciak, V.A. Kondaurov, S.M. Melikova 649

The solubility of solidified dichloromethane in liquid nitrogen at 77.4 K
Z. Wojtaszek, B. Dabrowska, M. Skwarczynska 399

Specific heat of fifteen stainless steels in the temperature range 4 K – 30 K, the
J.M. Corsan, N.I. Mitchem 11

Stability limit for thermally driven acoustic oscillation
T. Yazaki, A. Tominaga, Y. Narahara 393

Stability of compound superconductors under localized heat pulses
O.P. Anashkin, V.E. Keilin, V.V. Lyikov 77

Strengthening of tough iron–12 percent nickel-reactive metal alloys at 77 K by copper additions
J.R. Stephens, W.R. Witzke.

A study of the influence of constructional features of superconducting solenoids on their magnetic parameters
E.N. Lysenko 103

Study on the solubility light alkanes in liquid nitrogen
E. Szczepaniec-Cieciak, V.A. Kondaurov, S.M. Melikova. 649

Superfow into a solid superleak
J.M. Goldschvartz, W.P. van de Merwe, E. Bodegom, J. Dam 679

Surface effect on the critical current density of superconducting niobium
F. Al-Huseini 52

System for coil simulation measurements of losses and instabilities in superconducting wires
T. Ezaki, F. Irie, G. Klipping, K. Luders, T. Matsushita, U. Ruppert, M. Takeo 731

Temperature and field dependence of superconducting thermometer sensitivity
J.U. Trefny, A. Cruz-Uribe, J.N. Fox 316

Temperature of liquid nitrogen in cryostat dewars, the
D.J. Blundell, B.W. Ricketson 33

Theoretical model of the heat transfer processes in a multilayer insulation, a
I.S. Zhitomirskij, A.M. Kislov, V.G. Romanenko 265

Thermal conductance in screw-fastened joints at helium temperatures
M. Deutsch 273

Thermal stability of SC high current density magnets
K. Ishibashi, M. Kobayashi, A. Katase 633

Thermoelectric refrigeration at very low temperatures
H.J. Goldsmid, A.S. Gray 289

Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 1 Theoretical fundamentals for metallic conductivity of porous solid cryogens
B.I. Verkin, V.F. Getmanets, R.S. Mikhalchenko 17

Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 2 Theory of cryogenic liquid crystallization based on metallic conductivity of a porous network
B.I. Verkin, V.F. Getmanets, R.S. Mikhalchenko 23

Top loading 200 kN tensile testing cryostat, a
F. Tschegg, E. Kubasta, W. Steiner 269

Transient heat transport in He II
S.W. Van Sciver 385

Transversal SQUID NMR
G.J. Ehnholm, J.P. Ekstrom, M.T. Loponen, J.K. Soini 673

Triple-phase phenomena during quenches of superconductors cooled by pressurized superfluid helium II
S. Caspi, T.H.K. Frederking 513

Triple point of pure normal deuterium, the
F. Pavese, C. Barbero 255

Vapour pressure of tetrafluoromethane, the
L.Q. Lobo, L.A.K. Staveley 335

Review articles

Cryogenics in the cattle industry
F.I. Elliott, J.F. Oncken 179

Cryogenic techniques in surgery
J. Fraser 375

Cryogenics worldwide – Research at low temperatures in Italy, present status and perspectives
C. Rizzuto 243

Cryogenics worldwide–USA. Superconductivity at Intermagnetics General
C.H. Rosner 3

Space applications of superconductivity
D.B. Sullivan, J.W. Vorreiter 627

Space applications of superconductivity: high field magnets
F.R. Fickett 691

Worldwide Cryogenics – Japan. Research and development at the Japanese National Research Institute for Metals
K. Tachikawa 307

Worldwide Cryogenics – Japan The Tokyo Gas Company
Y. Ishimasa 67

Worldwide cryogenics – United Kingdom Cryogenics at Brown Boveri
H. Benz, I. Horvath, K. Kwasnitza, R.K. Maix, G. Meyer 435

Worldwide cryogenics – United Kingdom, Cryogenics in BOC
J.B. Gardner 131

Worldwide Cryogenics – United Kingdom Superconductivity at IRD
A.D. Appleton 371

Research and Technical Notes

8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor, an
S. Shimamoto, T. Ando, M. Nishi, K. Yoshida 491

Case of pinning strength depending on the cooling of the sample, a
C.S. Furtado 424

Continuous flow cooling units and helium cryostats – a comparison
S.J. Campbell, I.R. Herbert 611

Counterflow gas-liquid helium heat exchanger with copper grid, a
G. Bon Mardion, G. Claudet 552
Effect of surface preparation on superconducting heat switches, the
R.L. Fagaly, H. Weinstock, F.A. Schmidt 58
Efficient continuous flow unit for Mossbauer experiments – source and absorber cooling 4.2 – 300 K, an
I.R. Herbert, K. Timms, S.J. Campbell 615
Emergency cold valve operating in He II, an
G. Bon Mardion, L. Senet 552
Low temperature specific heat of exfoliated graphite
R.E. Rapp, E.P. de Souza, E. Lerner 121
Magnetic safety valve, a
G. Bon Mardion, J. Challier, R. Prost, L. Senet 425
Milliwatt Stirling cryocooler for temperatures below 4 K, a
J.E. Zimmerman, D.B. Sullivan 170
New flowmeter for the dynamic flow rate measurement, a
W. Reichel 55
New transducer for measuring the liquid level, a
W. Reichel 618
Note on the purity of liquid helium–4, a
C. Jewell, P.V.E. McClintock 682
Observation of dielectric breakdown in liquid nitrogen using discharge figures, the
H. Mitsui, Y. Toriyama, J.H. Calderwood 421
Oscillation damper for transfer lines
J.C. Marechal 617
Precision table for surface scattering in foils
V. Groger 56
Rf-biased SQUID with half-wavelength transmission line
T.W. Bradshaw, W.P. Pratt Jr 553
Thermal contraction of Vespel SP–22 and Stycast 1266 from 300 K to 4 K
G.W. Swift and R.E. Packard 362
Transient heat transfer to liquid helium from bare copper surfaces
L. Dresner 120

Classified Index

Cryostats and accessories

Temperature of liquid nitrogen in cryostat dewars, the
D.J. Blundell, B.W. Ricketson 33
Practical cryostats for laboratory courses in superconductivity
H.E. Hoenig 37
Glass liquid helium cryostat for Mossbauer spectroscopy, a
M. Pasternak, S. Shamai 40
Cryogenic flange connection, a
V.F. Solyanko, T.P. Boiko, K.A. Kudrgavtseva 113
Heat analysis and reduction of evaporation rate of liquid helium dewar
Y. Kuraoka, K. Saito, T. Nogi, T. Misawa 182
Top loading 200 kN tensile testing cryostat, a
E. Tschegg, E. Kubasta, W. Steiner 269
Cryostat cold-finger support for shielded Ge gamma ray detectors
R.J. Toone 280
Application of magnetofluid seals for high-speed rotating cryostats
M.O. Lutset and V.A. Starovoitov 333
Portable self-contained refrigerants transfer system for use with superconductive magnet dewars, a
H. Jones, P.A. Hudson 397
Magnetic safety valve, a
G. Bon Mardion, J. Challier, R. Prost, L. Senet 425
Liquid helium stage in a scanning electron microscope
P.L. Stohr, R.P. Huebener 472
Cryogenic performance of coaxial, multi-pin and coaxial multi-pin complex bakable feedthroughs
H. Ishimaru 474
Cryogenically pumped laboratory metallurgical installation
B.G. Lazarev, V.I. Makarov, A.A. San'kov 499
An emergency cold valve operating in He 11
G. Bon Mardion and L. Senet 552
Continuous flow cooling units and helium cryostats – a comparison
S.J. Campbell and I.R. Herbert 611
An efficient continuous flow unit for Mossbauer experiments – source and absorber cooling 4.2 – 300K
I.R. Herbert, K. Timms and S.J. Campbell 615
Oscillation damper for transfer lines
J.C. Marechal 617
Simple dipstick cryostat with versatile temperature controller for high thermal stability
S. Chandrasekaran, Y. Hariharan, T.S. Radhakrishnan and V. Subramanian 669

Cryogenic fluids

Triple point of pure normal deuterium, the
F. Pavese and C. Barbero 255
Vapour pressure of tetrafluoromethane, the
L.Q. Lobo and L.A.K. Staveley 335
Solubility of solidified dichloromethane in liquid nitrogen at 77.4K, the
Z. Wojtaszek, B. Dabrowska and M. Skwarczynska . . . 399
Observation of dielectric breakdown in liquid nitrogen using discharge figures, the
H. Mitsui, Y. Toriyama, J.H. Calderwood 421
Dielectric breakdown of cryogenic gases and liquids
J. Gerhold 571
Estimation of the solubility of solidified substances in liquid oxygen by the Preston-Prausnitz method
E. Szczepaniec-Cieciak and B. Ciejek 639
The solubility of light olefins in liquid nitrogen
E. Szczepaniec-Cieciak, V.A. Kondaurov and S.M. Melikova 649
Superflow into a solid superleak
J.M. Goldschvartz, W.P. van de Merwe, E. Bodegom and J. Dam 679
A note on the purity of liquid helium-4
C. Jewell and P.V.E. McClintock 682

Heat and mass transfer

Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 1 Theoretical fundamentals for metallic conductivity of porous solid cryogens
B.I. Verkin, V.F. Getmanets and R.S. Mikhalchenko . . 17
Thermophysics of the phenomena of gradientless heat transfer in porous solid cryogens: 2 Theory of cryogenic liquid crystallization based on metallic conductivity of a porous network
B.I. Verkin, V.F. Getmanets and R.S. Mikhalchenko . . 23

Practical data on steady state heat transport in superfluid helium at atmospheric pressure
G. Bon Mardion, G. Claudet and P. Seyfert 45
Peak nucleate boiling heat flux during nitrogen pool boiling in high centrifugal acceleration fields
B.I. Verkin, Yu.A. Kirichenko, N.M. Levchenko and K.V. Rusanov 49
The effect of surface preparation on superconducting heat switches
R.L. Fagaly, H. Weinstock and F.A. Schmidt 58
Recovery heat flux from silent and noisy film boiling states in saturated liquid He 11
H. Kobayashi, K. Yasukochi 93
Transient heat transfer to liquid helium from bare copper surfaces
L. Dresner 120
Heat analysis and reduction of evaporation rate of liquid helium dewar
Y. Kuraoka, K. Saito, T. Nogi, T. Misawa 182
Premature transition to stable film boiling initiated by power transients in liquid nitrogen
D.N. Sinha, L.C. Brodie, J.S. Semura, F.M. Young . . . 225
Theoretical model of the heat transfer processes in a multilayer insulation, a
I.S. Zhitomirskij, A.M. Kislov, V.G. Romanenko 265
Thermal conductance in screw-fastened joints at helium temperatures
M. Deutsch 273
On heat transfer crises in liquid helium
S.S. Kutateladze and B.P. Avksentyuk 285
Influences of thermal stratification and flow interaction on the enhanced natural convective heat transfer at low temperatures, the
M.S. Islam, D.J. Richards and R.G. Scurlock 319
Analysis of the flow in rotating cryogenic vapour columns with a uniform axial temperature gradient, an
J.P.J. Gawthrop and R.G. Scurlock 346
Transient heat transport in He 11
S.W. Van Sciver 385
Stability limit for thermally driven acoustic oscillation
T. Yazaki, A. Tominaga, Y. Narahara 393
Analysis of helium 11 film boiling
D.A. Labuntzov, Ye. V. Ametistov 401
Model calculations on heat flow in inhomogeneous thermal systems. 1 – Thermal conductivity and boundary resistance at low temperatures
A.W. Pattullo, J.C.A. van der Sluijs 453
Model calculations on heat flow in inhomogeneous thermal systems. 2 – Sintered copper heat exchanger and Kapitza conductance
A.W. Pattullo, K.C. Rawlings, J.C.A. van der Sluijs . . . 461
Calculation of stationary heat transfer zone in conduits under cooldown
N.T. Bendik, S.K. Smirnov, Ye.L. Blinkov 477
A method for correlation using a search procedure based on a step-wise least-squares technique and its application to an equation of state for propylene
K.M. de Reuck, B. Armstrong 505
Triple-phase phenomena during quenches of superconductors cooled by pressurized superfluid helium 11
S. Caspi, T.H.K. Frederking 513
A Counterflow gas-liquid helium heat exchanger with copper grid
G. Bon Mardion and G. Claudet 552
Heat-transfer coefficients within the cavity formed by the tip of cryosurgical probes
O. Abreu and K. Kellner 567
Heating-induced flows in cable-in-conduit conductors
L. Dresner 653

Measurement methods

A new flowmeter for the dynamic flow rate measurement
W. Reichel 55
Fast response superconducting thin-film probe for detection of second-sound shock waves in superfluid helium, a
H. Borner, D.W. Schmidt, W.J. Wagner 89
System for coil simulation measurements of losses and instabilities in superconducting wires
T. Ezaki, F. Irie, G. Klipping, K. Luders, T. Matsushita, U. Ruppert, M. Takeo 731
Measurement of the energy loss in superconducting magnets
B.G. Dubasov, V.V. Mymrikov, G.E. Sereda, G.V. Trokhachev 114
Apparatus for measuring internal friction of films during the process of plastic deformation in the temperature range from 4.2 to 300 K
V.S. Postnikov, N.A. Safonov, I.V. Zolotukhin, V.E. Miloshenko 116
Floating level indicator for liquid helium, a
G.P. Shemonaev, V.I. Makhan'kov, I.S. Sidorenko . . . 140
Temperature and field dependence of superconducting thermometer sensitivity
J.U. Trefny, A. Cruz-Uribe and J.N. Fox 316
Observation of dielectric breakdown in liquid nitrogen using discharge figures, the
H. Mitsui, Y. Toriyama, J.H. Calderwood 421
A simplified accurate interpolation method for germanium resistance thermometry
Y.K. Leung and J.F. Kos 531
Optimal positioning of field emitters for ion injection in liquid helium
M.H. Bhatti and P.V.E. McClintock 535
Description of pressure cells suitable for low temperature specific heat and magnetization measurements
A. Berton, J. Chaussy, B. Cornut, J. Odin, J. Paureau, J. Peyrad 543
A new transducer for measuring the liquid level
W. Reichel 618
System for coil simulation measurements of losses and instabilities in superconducting wires
T. Ezaki, F. Irie, G. Klipping, K. Luders, T. Matsushita, U. Ruppert and M. Takeo 731

Refrigeration and rectification – above 1 K

Computer design and optimization of cryogenic refrigeration systems
M.A. Green, H.S. Pines, P.A. Doyle 81
Closed-cycle cooling system at the UPM Cryogenic Facility, Saudi Arabia
F.A. Al-Huseini, R.F. Lynch, G. Parry-Jones 106
Better LHe withdrawal from a liquefier
S. Buhler 149
Milliwatt stirling cryocooler for temperatures below 4 K, a
J.E. Zimmerman, D.B. Sullivan 170

Feasibility of electrocaloric refrigeration for the 4–15 K temperature range
R. Radebaugh, W.N. Lawless, J.D. Siegwarth, A.J. Morrow ... 187
Hydrogen isotope distillation for fusion power reactors
J.R. Bartlit, R.H. Sherman, R.A. Stutz, W.H. Denton ... 275
Thermoelectric refrigeration at very low temperatures
H.J. Goldsmid and A.S. Gray ... 289
Exergy method of analysis and its application to a helium cryo-refrigerator
M. Thirumaleshwar ... 355
Optimization of helium refrigerators and liquefiers for large superconducting systems
M.A. Hilal ... 415
Phonon-drag low temperature thermoelectric refrigeration
J.P. Issi and J. Boxus ... 517
Generalized ideal reference cycle for regerative refrigeration Part 1: isothermal systems
G. Walker ... 603

Refrigeration to very low temperatures

The multiple mixing chamber
G.M. Coops, A. Th.A.M. de Waele and H.M. Gijsman ... 659
A microprocessor controller for a nuclear demagnetization refrigerator
J.P. Einsenstein, G.W. Swift and R.E. Packard ... 666
Anomalous cooling power of dilution refrigerators and the heat of transport of He^3 – He^4 solutions
E. Polturak, R. Rosenbaum and R.J. Soulen, Jr. ... 715

Solids – non-superconductors

Specific heat of fifteen stainless steels in the temperature range 4K – 30K, the
J.M. Corsan and N.I. Mitchem ... 11
Precision table for surface scattering in foils
V. Groger ... 56
Infrared reflectance of anodized aluminium as a cryogenic material
J. Yamamoto ... 87
Low temperature specific heat of exfoliated graphite
R.E. Rapp, E.P. de Souza and E. Lerner ... 121
Effects of thermomechanical processing on strength and toughness of Fe–12Ni– reactive metal alloys at 77K
J.R. Stephens, W.R. Witzke ... 153
Peculiarities of the relaxation properties of the Fe–Cr–Ni alloy spin system at low temperatures
I.N. Klimanko, V.P. Romanov, V.Ya. Ilichev ... 209
Magnetic evaluation of machining induced deformation transformation in austentic stainless steels
E.W. Collings ... 215
Low temperature plastic deformation of Fe–Cr–Ni steels in magnetic fields to 2.71×10^3 Am^{-1}
D.N. Bolshutkin, V.A. Desnenko, V.Ya. Ilichev ... 231
Peculiarities of the electrical resistivity and structural-magnetic transformations in Fe–18r–(10–25) Ni steels at low temperatures
V.I. Pecherskaya, D.N. Bolshutkin and V.Ya. Ilichev ... 261
Low temperature dielectric loss due to antioxidants in polyethylene
J. le G. Gilchrist ... 281
Discolation damping and the ultrasonic attenuation in tin
K.D. Chaudhuri ... 293
Thermal contraction of Vespel SP–22 and Stycast 1266 from 300 K to 4 K
G.W. Swift and R.E. Packard ... 362
Mechanical properties of inconel 625 welds in 21–6–9 stainless steel at 4 K
R.R. Vandervoort ... 448
Low temperature magnetic susceptibility and magnetization studies of some commercial austenitic stainless steels
E.W. Collings, S.C. Hart ... 521
A simple method for calculating Debye heat capacity values using the Einstein heat capacity formula
T.W. Listerman, C.B. Ross ... 547
New ceramic materials for thermal and dielectric isolation at low temperatures
W.N. Lawless ... 585

Superconductivity – materials

Investigation of size effect in superconducting current carrying elements, the
V.E. Keilin, S.L. Kruglov and S.A. Lelekhov ... 27
Critical current properties of V_3Ga with third element additions
T.L. Francavilla and D.G. Howe ... 41
Surface effect on the critical current density of superconducting niobium
F. Al-Huseini ... 52
High field critical current densities and resistive transition of NbCN superconducting films
Y. Brunet, J. Mazuer, M. Renard ... 107
Comparison of projected critical currents in $PbMo_6S_8$ and Nb_3Ge
S.A. Alterovitz, J.A. Woolam ... 167
Case of pinning strength depending on the cooling of the sample, a
C.S. Furtado ... 424
Behaviour of normal zones in a uniform ac superconductor
Y.M. Lvovsky, M.O. Lutset ... 483
Acoustic emission from NbTi superconductors during flux jump
G. Pasztor and C. Schmidt ... 608

Superconductivity – wires and cables

Stability of compound superconductors under localized heat pulses
O.P. Anashkin, V.E. Keilin, V.V. Lyikov ... 77
Boundary resistance in SC composite wires and cryogenic stability
K. Ishibashi, M. Wake, M. Kobayashi, A. Katase ... 161
Definitions of terms for practical superconductors 3. fabrication, stabilization and transient losses
D.T. Read, J.W. Ekin, R.L. Powell and A.F. Clark ... 327
Electromagnetic field and ac power loss enhancements at the edges of adjacent strips in a superconducting cable
D.A. Ward, B.J. Maddock and W.S. Kyte ... 339
Propagation velocity of normal zones in a SC braid
K. Ishibashi, M. Wake, M. Kobayashi, A. Katase ... 467
The effect of magnetic properties of a composite superconductor on the losses in variable magnetic field: Part 1 Theory
V.B. Zenkevitch and A.S. Romanyuk ... 725
Alternating field losses in superconducting wires carrying dc transport currents: Part 1 single core conductors
T. Ogasawara, Y. Takahashi, K. Kanbara, Y. Kubota, K. Yasohama and K. Yasukochi ... 736

Superconductivity – magnets and high field uses

Observation of serrated deformation of superconducting magnet windings
O.P. Anashkin, V.E. Keilin and A.V. Krivikh 31
Multiple purpose 7TNbTi split coil superconducting magnet system for Mossbauer spectroscopy and susceptibility measurements at various temperatures
K.J. Best, B. Rothe 73
A study of the influence of constructional features of superconducting solenoids on their magnetic parameters
E.N. Lysenko 103
Investigation of superconducting magnetic systems using experiment planning
Y.P. Kos'kin and A.D. Sobashnikov 141
Optimization of superconducting Helmholtz coils taking into account the dependence of critical current on magnetic induction, the
D. Kabat, L. Tsenak 151
Hysteretic effects in pulsed superconducting magnets
H. Brechna, C.Y. Hwang 217
Detachable leads for superconducting magnets
V. Chopra, G. Dharmadurai, N.S. Satya Murthy 235
Protection device for superconducting magnets with a superconducting switch
D. Kabat, R. Luedemann, H. Mencke, Yu.A. Shishov . . 382
Development and investigation of superconducting magnet systems for physical experiments, the
O.P. Anashkin, V.E. Keilin, M.I. Surin, V.Kh. Shleifman 405
Large superconducting dipole cooled by forced circulation of two-phase helium, a
M. Morpurgo 411
An 8.5T–24 cm bore Nb–Ti magnet for short sample test on a tokamak superconductor
S. Shimamoto, T. Ando, M. Nishi, K. Yoshida 491
Shunt protection for superconducting Maglev magnets
D.L. Atherton 537
Experimental study of gas-cooled current leads for superconducting magnets
R.P. Warren 563
A resistive superconducting power switch with a switching power of 40 MW at 47 kV
A. Ulbricht 591
Thermal stability of SC high current density magnets
K. Ishibashi, M. Kobayashi and A. Katase 633
Application of flux trapping in hard superconductors to magnetic shielding and magnetic levitation
J. Ferreirinho and D.G. Blair 702
A critical current-margin design criterion for high performance magnet stability
Y. Iwasa 705

Superconductivity – SQUID applications

Rf-biased SQUID with half-wavelength transmission line
T.W. Bradshaw and W.P. Pratt Jr 553
Transversal SQUID NMR
G.J. Ehnholm, J.K. Ekstrom, M.T. Loponen and J.K. Soini 673